PowerLite® Pro Cinema 1080 UB







The Epson PowerLite Pro Cinema 1080 UB offers superior image quality, and performance unlike any other. By implementing a full suite of state-of-the-art technologies within a single projector, Epson provides a total solution that is sure to exceed all expectations.

New UltraBlack[™] technology

A 50,000:1 contrast ratio (dynamic setting), 4000:1 (native setting) delivers extraordinary detail, particularly in the shadow areas, creating true, cinematic contrast and incredible deep blacks

Amazing color brightness

C²Fine™ 3LCD (3-chip optical engine) technology, together with 1600 lumens, offers incredible color, debth and brilliance

Accurate colors

An extended color gamut supports a color space ensuring natural, vivid colors that are displayed more accurately

Razor sharp video processing

1080Perfect™ video processing provides optimum output, whatever the input source, while improved firmware ensures sharper image quality

Industry-leading connectivity

Two HDMI 1.3 ports offer flexible connectivity for today and tomorrow

Superior optics

An exclusive OptiCinema™ lens ensures superior picture quality

• Maximum brightness and color uniformity

Exclusive E-TORL™ lamp technology conserves energy while offering more consistent light and greater color uniformity for the most vivid images possible

• Whisper-quiet

(24 dB) operation

ISF certified

ISF preset color modes ensure easy image calibration to suit your viewing environment

· Ceiling mount and spare lamp included



PowerLite Pro Cinema 1080 UB

SPECIFICATIONS

PROJECTION SYSTEM

Epson C²Fine 3LCD technology (3-chip optical engine)

PROJECTION METHODS

Front/rear/ceiling mount

LCD

D7 0.74" wide, poly-silicon TFT active matrix (with MLA)

RESOLUTION

Native 1080p (1920 x 1080)

ASPECT RATIO

Native 16:9 (4:3 resize)

CONTRAST RATIO (DYNAMIC MODE)

Up to 50,000:1, 4000:1 (native)

LUMENS

Up to 1600 lumens (Dynamic Mode)

VIDEO PROCESSING

Built-in Y/C separation and I/P conversion

Powered by Pixelworks™

 $x.v.Color^{\scriptscriptstyle TM}$

ZOOM

Manual zoom

Manual focus

PROJECTION LENS

F-number: 2.0 – 3.17

ZOOM AND FOCUS RATIO

1 - 2.1

SCREEN SIZE (PROJECTED DISTANCE)

100" diagonal (wide: 9.8' - tele: 20.9')

LENS SHIFT RANGE

Vertical +/-96%

Horizontal +/- 47%

LAM

170 W UHE E-TORL lamp

LAMP LIFE*

Up to 3000 hours

PRODUCT COLOR

Matte black

VIDEO COMPATIBILITY

HDMI HDTV

Component video

S-video

Composite video

NTSC/PAL/SECAM

Analog RGB

VIDEO INPUT SIGNAL

NTSC

NTSC 4.43

PAL

M-PAL

N-PAL

PAL60

SECAM

480i (576i)

480p (576p)

720p

1080i

1080p

TERMINAL INPUTS

2 HDMI

1 RCA (component)

1 RCA (composite)

1 Mini Din (S-video)

1 D-Sub 9 pin (RS-232c)

1 D-Sub 15 pin (analog RGB)

PACKAGING DIMENSIONS (W x D x H)

PowerLite Pro Cinema 1080 UB home theater projector Dimensions 19.5" x 17.25" x 11.5"

Weight 19.7 lb

Replacement lamp - Single unit

Dimensions 5.4" x 6.3" x 5.5"

Weight 0.75 lb

Replacement lamp - Master carton

Dimensions 12.9" x 28.3" x 6.4"

Weight 10.05 lb
Units per master carton 10

Ceiling mount – Single unit

Dimensions 14" x 14" x 5"

Weight 6 lb

PRODUCT/ACCESSORY PART NUMBERS

PowerLite Pro Cinema 1080 UB home theater projector

Product code V11H262020MB

UPC code 0-10343-866744

Replacement lamp

Product code V13H010L39

UPC code 0-10343-861572

Ceiling mount

Product code ELPHB800

UPC code 0-10343-85780-3

* Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.



Epson America, Inc. 3840 Kilroy Airport Way, Long Beach, CA 90806 Epson Canada, Ltd.

3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5

Specifications and terms subject to change without notice. Epson is a registered trademark and Epson Exceed Your Vision, E-TORL, C'Fine and 1080Perfect are trademarks of Seiko Epson Corporation. PowerLite is a registered trademark and OptiCinema and UltraBlack are trademarks of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2007 Epson America, Inc. CPD-24442 12/07 10K